



# Alu eave flashing

Product technical features




**PANKOMERC**

Sheet metal wizards®

# Aluminium eave flashing


Aluminum orfiled metal sheets provide efficient eave flashing solution for residential buildings.

It is produced out of 4 mm thick embossed aluminum (rugged surface) which provides extraordinary durability and strength of covered surfaces. Its hidden interlocking fold provides ability to fit adjacent sheets with no visible endings and nails.




## Product features

Profile length	2,5 m
Aluminum thickness	0,4 mm
Weight	1,23 kg/m <sup>2</sup>



HORIZONTAL INSTALLATION




VERTICAL INSTALLATION

## Standard colours chart

Colour	RAL number	Aluminium eave flashing	
		Smooth	Embossed
Brick Red	3009	•	•
Earth Brown	8017	•	•
Alpine White	9002	•	•

Custom colors available on request



## Protective layers

- Polyester coating 20 $\mu$
- Primer 7 $\mu$
- Aluminijum 0,4 mm
- Protective coating

\*The values can be changed upon request



Knjaza Miloša 92/1  
(PO BOX 67)  
31 210 Požega, Serbia

### Wholesale

tel. +381 (0)31 812 225  
fax +381 (0)31 3716 091

### Retail and logistics

tel. +381 (0)31 825 058  
fax +381 (0)31 825 458  
e-mail: info@pankomerc.com

### Belgrade office

Mije Kovačevića 10a  
(Warehouse Inkotehna)  
11 000 Belgrade  
tel. +381 (0)11 27 64 491  
e-mail: beograd@pankomerc.com

[www.pankomerc.com](http://www.pankomerc.com)

